



PROJECT IMPLEMENTATION UNIT (PIU)
PUNJAB URBAN LAND SYSTEMS
ENHANCEMENT (PULSE)
Punjab Land Records Authority (PLRA)
Government of the Punjab



Subject: MINUTES OF THE PRE-BID MEETING FOR THE HIRING OF SERVICES FOR PRIMARY AND SECONDARY WAN CONNECTIVITY SERVICES FOR LINKS (FIBER / ISM WIRELESS) TWO LOTS

A pre-bid meeting was held on January 08, 2025 at 03:00 PM under the Chairmanship of GIS Specialist, PIU-PLRA, PULSE in the committee room of PULSE for the subject activity. The meeting started with recitation of Holy Quran. The chair welcomed the participants and requested for round of introduction. Following participants attended the meeting:

- | | |
|---------------------------|--|
| 1. Rana M. Sohail Aslam | GIS Specialist, PIU-PLRA, PULSE |
| 2. Mr. Ahsan Abdul Wahab | Financial Management Specialist, PIU-PLRA, PULSE |
| 3. Mr. M Afzaal Amin Rana | Procurement Specialist, PIU-PLRA, PULSE |
| 4. Mr. Ali Usman | HR Manager, PMU-BOR, PULSE |
| 5. Mr. Atif Manzoor | DC, DM, SMS Specialist, PIU-PLRA, PULSE |
| 6. Waqas Bashir | ICT Specialist, PIU-PLRA, PULSE |


The following joined the meeting through physically and through zoom link:

- | | |
|---------------------|--------------------------------|
| Mr. Naeem Majeed | M/s Wateen Telecom Limited |
| Muhammad Shan | M/s Wateen Telecom Limited |
| Ms. Bisma Ahsan | M/s JAZZ Telecommunication |
| Mr. Yasar Arafat | M/s JAZZ Telecommunication |
| Mr. Jahanzaib Saeed | M/s Nexlinx Networks Pvt. Ltd. |
| Mr. Noman Sajjad | M/s Nexlinx Networks Pvt. Ltd. |
| Mr. Kashif Saeed | M/s Nexlinx Networks Pvt. Ltd. |
| Mr. Usman Nasir | M/s ORBIN |


2. Procurement Specialist, PIU-PLRA, PULSE apprised the participants regarding the procurement process of subject activity. Following queries were responded during the meeting:

Sr. #	Query / Question	Response
1.	Is it compulsory for bidders to hold an LDI license, or will other equivalent licenses be considered acceptable for this procurement?	As per the stipulated requirements, possession of an LDI license is mandatory for firms participating in LOT-1. However, for LOT-2, firms have the flexibility to submit either an LDI license or a TIP license. Both licenses will be considered valid for meeting the eligibility criteria under LOT-2 only.
2.	Whether the stipulation for bidders to maintain offices in all 36 districts can be revised to permit only the presence of offices in key cities?	No, the requirement for bidders to have offices in all 36 districts of Punjab is essential, as it has been established to ensure comprehensive support services requirement throughout the contract tenure for WAN connectivity. Considering that Punjab comprises a total of 40 districts, this requirement has been revised from 36 offices to 40 offices to align with the geographical scope and operational needs of the project.
3.	Is there any possibility of extension to the deadline for the submission of Bid?	No, an extension to the bid submission deadline is not possible. A time period of more than three weeks has already been provided, taking into consideration the nature of the procurement and the complexity of the task.
4.	Is the same wireless tower (PLRA) can be used for wireless connectivity?	Yes, the existing PLRA wireless tower can be utilized by the current service providers of PLRA for wireless connectivity. However, any new service provider will be required to install a separate wireless tower.
5.	Can a list of Qanoongois, containing the names of all Qanoongois specifically in English, be provided?	The updated list of Qanoongois has been uploaded to the PULSE website and can be accessed at https://pulse.gop.pk/ .


Meeting was ended with the note of thanks.




**FM Specialist,
PIU-PLRA, PULSE
(Member)**




**HR Manager
PMU-BOR, PULSE
(Member)**




**Procurement Specialist
PIU-PLRA, PULSE
(Secretary)**



**DC, DM, SMS Specialist,
PIU-PLRA, PULSE
(Co-Opted Member)**



**ICT Specialist,
PIU-PLRA, PULSE
(Co-Opted Member)**



**GIS Specialist
PIU-PLRA, PULSE
(Convener)**

